

LIST OF ACCEPTED PAPERS for SPEEDAM 2006

1	19052	<i>Kral C., Gragger J.V., Pirker F., Pascoli G.</i> Sensorless rotor angle estimation through current signature analysis based on rotor saliency harmonics	Austria
2	19136	<i>Repo A., Arkkio A.</i> Parameter estimation of induction machines using the numerical impulse method	Finland
3	19190	<i>Aoulkadi M., Binder A.</i> Evaluation of different measurement methods to determine stray load losses in induction machines	Germany
4	19258	<i>Bellini A., Bifaretti S.</i> A method for magnetizing curve identification in vector controlled induction motor drives	Italy
5	19296	<i>Stiebler M., Plotkin Y.</i> Superposition methods for on-line determination of a.c. machine winding resistance	Germany
6	19299	<i>Dobrucky B., Michalik J., Bobek V., Kallay F.</i> Virtual HF injection method (VHFIM) of rotor position estimation under field oriented control of PMSM	Slovak Republic
7	19326	<i>Picardi C., Rogano N.</i> Parameter identification of induction motor based on particle swarm optimization	Italy
8	19342	<i>Balestrino A., Landi A.</i> Autotuning and monitoring	Italy
9	04328	<i>Marino P., Accardo L., Fioretto M., Giannini G.</i> Techniques of PWM vectorial modulation for the reduction of magnetic acoustic noise in traction motor	Italy
10	04102	<i>Brenna M., Fogliadelli F., Zaninelli D.</i> A new concept of a light rail vehicle for city, interurban and subway services	Italy
11	04198	<i>Henning U., Thoolen F., Lamperth M., Berndt J., Lohner A., Janig N.</i> Ultra low emission traction drive system for hybrid light rail vehicles	Germany
12	04251	<i>Pierazzi R., Mancini G., Martini D., Nannini A., Pulejo M.</i> Experimental analysis of the application of magnetek micro turbine power units for the emergency power supply of auxiliary systems in trenitalia railway cars	Italy
13	04361	<i>Carpita M., Pellerin M., Herminjard J.</i> Medium frequency transformer for traction application making use of multilevel converter : small scale prototype test results	Switzerland
14	04307	<i>Cascone V., Giannini G.</i> Two-stage converters for multi-system high power locomotive. The case of the new loco E403	Italy
15	04245	<i>Germishuizen J., Hoffmann T., Jöckel A., Lowenstein L., Teichmann M., Wangelin F.V.</i> Syntegra - next generation traction drive system, total integration of traction, bogie and braking technology	Germany
16	04359	<i>Giulii Capponi F., Del Ferraro L., Caricchi F., Fedeli E.</i> Measurement of traction current harmonics on the track circuits of the Rome-Naples high-speed railway	Italy
17	11020	<i>Joshi N.N., Mohan N.</i> Application of TCSC in wind farm application	USA
18	11050	<i>Ghedamsi K., Aouzellag D., Berkouk E.M.</i> Application of matrix converter for variable speed wind turbine driving a doubly fed induction generator	Algeria
19	11150	<i>Sinha A.K., Srivastava N.Kr., Yadav A.Kr.</i> Wind energy generation in India-Its technical, marketing & environment aspects	India
20	11171	<i>Kasa N., Harada Y., Lida T., Bhat A. K. S.</i> Zero current transition converters for independent small scale power network system using lower power wind turbines	Japan
21	11357	<i>Degobert P., S. Kreuawan, X. Guillaud</i> Use of super capacitors to reduce the fast fluctuations of power of a hybrid system composed of photovoltaic and micro turbine	France
22	11355	<i>Rabelo B., Pinheiro L., Hofmann W.</i> Loss reduction methods for doubly fed induction generator drives in wind turbines	Germany
23	11372	<i>Magureanu R., Albu M., Dumitrescu A.M., Ambrosi S.</i> A new solution for grid connected dispersed generation from renewable sources: DC connection	Romania
24	11329	<i>Liccardo F., Marino P., Triganese M.</i> An efficient connection between grid and wind farm by means a Synchronous AFE	Italy
25	16060	<i>Chatterjee D., Ganguly A.K., R. Chakraborti</i> A fuzzy-logic based stator resistance compensated simplified speed sensorless vector control of induction motor in the low speed region	India
26	16234	<i>Bensiali N., Chaigne C., Etien E.</i> Optimal observer design for sensorless control of induction motor in regenerating-mode	France
27	16319	<i>Miceli R., Alonge F., Di Tommaso A.O., Rando C.</i> Sensorless control of permanent magnet synchronous motors for wide speed range applications	Italy
28	16244	<i>Komatsuzaki A., Yoshida K., Miki I.</i> A position sensorless drive technique considering magnetic saturation for switched reluctance motor	Japan
29	16080	<i>Somanathan R., Prasad P.V.N., Rajkumar A.D.</i>	India

		Modeling and simulation of sensorless control of PMBLDC motor using zero crossing back e.m.f. detection	
30	16081	<i>Tsuji M., Chen S., Kai T., Yamada E., Hmasaki S., Del Pizzo A.</i> A precise torque and high efficiency control for Q-axis flux-based induction motor sensorless vector control system	Japan
31	05024	<i>Lucca G., Zucchelli L., Pagani A., Moro M.</i> Measurement of magnetic field produced by the 25kV-50Hz Italian high speed railway line	Italy
32	05077	<i>Fedeli E., Stellin M., Vannini E.</i> Signaling system interferences due to electric substation failures on Italian conventional railway networks	Italy
33	05095	<i>Alexandersson S., Alakula M.</i> Automotive power electronic future-from an EMC perspective	Sweden
34	05212	<i>Falvo M.C., Lamedica R.</i> A measurement campaign on audio frequency track circuits of Italian high speed railway systems	Italy
35	05371	<i>Acampora G., Grillo D., Landi C., Luiso M., Pasquino N.</i> Optimization of energy consumption in a railway traction system	Italy
36	05025	<i>Lucca G., Zucchelli L., Moro M.</i> A survey of the 50 Hz interference impact of the Italian high speed railway line on extended metallic structures	Italy
37	10033	<i>Silva N., Martins A. P., Carvalho A.</i> Design and evaluation of a PWM rectifier control system for testing renewable DC sources connected to the grid	Portugal
38	10100	<i>Viet L.H., Büchner P.</i> Adaptive parameter digital control of active front-end converter with uncertainty of inductance	Germany
39	10330	<i>Liccardo F., Marino P., Triganese M.</i> Design criteria for a synchronous active front-end in high power applications	Italy
40	10266	<i>Timbus A.V., Teodorescu R., Liserre M., Dell'Aquila A.</i> Independent synchronization and control of three phase grid converters	Denmark-Italy
41	10301	<i>Tlustý J., Valouch V.</i> Optimum controller gains of active power filters for harmonic voltage mitigation in multibus industrial power systems	Czech Republic
42	10256	<i>Tnani S., Coirault P.</i> Output feedback control strategy of parallel active filters	France
43	13262	<i>Gatto G., Marongiu I., Perfetto A., Serpi A.</i> Performance improvement of brushless dc motor drive controlled by a predictive algorithm	Italy
44	13191	<i>Hörz M., Herzog H-G.</i> System design and comparison of calculated and measured performance of a bearingless BLDC-drive with axial flux path for an implantable blood pump	Germany
45	13072	<i>de Sousa A.T.F., Caux S., Fadel M.</i> Controllers' robust design for PMSM drive fed with PWM voltage inverter with elastic joint and inertia load variation	France
46	13119	<i>Koo D-H., Chun Y-D., Cho Y-H</i> Cogging torque reduction in a novel axial flux PM motor	Korea
47	13132	<i>Recalde Lino I.R., Pinto J.O.P., Leite L.C., Lawler J.S.</i> Pulsating torque analysis of PMSM driven by dual mode inverter control in wide constant power speed range	Brazil-USA
48	13068	<i>Guisheng J., Weiming M.</i> A new unified optimizing approach of torque and efficiency for SPMSM considering motor rotation loss	China
49	13209	<i>Mauri M., Bertocelli T.</i> Vibration and noise analysis of a traction external rotor permanent magnet motor	Italy
50	02341	<i>Balestrino A., Corsanini D., Landi A.</i> Pulse width modulation and pulse ratio modulation: experimental comparison in DC/DC conversion	Italy
51	02260	<i>Guanghui T., Wenchuan M., Hongxiang Y., Yanchao J.</i> Novel random-harmonic elimination PWM technique single-switch three-phase AC-DC buck converter	China
52	02294	<i>Grandi G., Serra G., Tani A.</i> Space vector modulation of a seven-phase voltage source inverter	Italy
53	02034	<i>Zhang X., Yu F., Li H., Song Q.</i> A novel discontinuous space vector PWM control for multiphase inverter	China
54	02257	<i>Bellini A., Bifaretti S.</i> A simple control technique for three-phase four-leg inverters	Italy
55	02235	<i>Komurcugil H., Koker O., Doganalp A.</i> Optimal control for single-phase UPS inverters based on linear quadratic regulator approach	Turkey
56	02346	<i>Hofmann W., Zitzelsberger J.</i> PWM-control methods for common mode voltage minimization – a survey	Germany
57	18105	<i>Beneduce L., Iovieno S., Masucci A., Picardi A.</i> Detection of broken rotor bar in cage induction motors	Italy

58	18118	<i>Martins Cunha C.C.</i> Induction machine with rotor asymmetries: modeling, simulations and experimental tests	Brazil
59	18120	<i>Babaa F., Kaikaa M.Y., Khezzer A., Boucherma M.</i> Transient model for induction machines under stator faults	Algeria
60	18153	<i>Martins Cunha C.C., Cardoso Filho B.J.</i> Squirrel cage induction machine broken bars fault detection using adjustable speed drives	Brazil
61	18272	<i>Thomsen J.S., Kallesoe C.S.</i> Stator fault modeling in induction motors	Denmark
62	18323	<i>Filippetti F., Rossi C., Stefani A., Yazidi A., Capolino G.A.</i> Experimental fault characterization of doubly-fed induction machines for wind power generation	Italy-France
63	35207	<i>Schaefers E., Denk J., Hamann J.</i> Mechatronic design of direct drive systems	Germany
64	35061	<i>Becker M., Landre J., Santos S.C.</i> The design of mechatronic system to detect and combat invasive species in power plant lakes	Switzerland-Brazil
65	34259	<i>Rosario J.M., Dumur D.</i> Conception of Stewart-Gough platform with reconfigurable control using integrate prototyping	Brazil-France
66	35062	<i>Becker M., Landre J., Santos S.C.</i> The design of mechatronic system to inspect power transmission lines and towers	Switzerland-Brazil
67	35115	<i>Ikeda H., Hanamoto T., Tsuji T., Tomizuka M.</i> Design of vibration suppression controller for 3-inertia systems using Taguchi method	Japan-USA
68	31079	<i>Enomoto J., Kitano J., Ikeda H.</i> Feeding characteristics of the high inverter for superconducting maglev	Japan
69	31157	<i>Morishita M., Itoh H.</i> The self-gap-detecting electromagnetic suspension system with robust stability against variation of levitation mass	Japan
70	31094	<i>Schuhmann T., Hofmann W., Werner R.</i> Sensor integration and state estimation on magnetically levitated rotors	Germany
71	31285	<i>Rodrigues A. L.</i> Superconducting magnetic levitation for electric traction	Portugal
72	31344	<i>Andriollo M., Carmeli M.S., Castelli Dezza F., Mauri M.</i> Control design aspects for an EDS levitation system	Italy
73	09040	<i>Ferreira J. C., Martins A. P.</i> A method for the estimation of local frequency and fundamental component phasor under grid disturbances	Portugal
74	09069	<i>Seifossadat S. G., Shoulaie A.</i> A linearized small signal model of an HVDC-Link	Iran
75	09232	<i>Draou A., Benghanem M.</i> A new modified PQ theory used for reactive power and current harmonic compensation	Algeria-Saudi Arabia
76	09327	<i>Donsion M.P., Lorenzo S.A.</i> Power quality measurement. Comparison among three instruments of measure of different class	Spain
77	09375	<i>Bracale A., Carpinelli G.</i> Double stage adaptive method for an accurate spectral analysis of AC waveforms in adjustable speed drives	Italy
78	09378	<i>Di Perna C., Verde P.</i> On robustness of distribution systems against voltage dips	Italy
79	02228	<i>Fathy K., Morimoto K., Ahmed N., Woo Lee, Nakaoka M.</i> A new soft-switching PWM half-bridge DC-DC converter with high and low side DC rail active edge resonant snubber	Korea
80	02289	<i>Jeyalakshmi A., Prabhakar M.</i> Effect of leakage inductance on the performance of parallel resonant converter	India
81	02113	<i>Shyu K-K., Yang M-J., Chen Y-M., Lin Y-F.</i> A three-phase four-wire AVR with IP control under unipolar PWM operation	Taiwan
82	02309	<i>Martins M. L., Russi J. L., Pinheiro J. R., Hey H. L.</i> Low reactive energy ZCT and ZCZVT inverters: synthesis, and analysis	Brazil
83	02114	<i>Tounsi B., Astier S.</i> Comparative study of power electronics converters associated to variable speed permanent magnet alternator	France
84	02229	<i>Fathy K., Morimoto K., Ahmed N., Woo Lee, Nakaoka M.</i> A switched capacitor lossless inductor quasi resonant snubber assisted series resonant high frequency inverter	Korea
85	02045	<i>Sobczyk T. J., Sienko T.</i> Application of matrix converter as a voltage phase controller in power systems	Poland
86	02267	<i>Djahbar A., Mazari B., Mansour N.</i> High performance motor drive using matrix converter	Algeria-Bahrain
87	03163	<i>Sahali F., Fellah M.K.</i> Application of the optimal minimization of the THD technique to the multilevel symmetrical inverters and study of its performance in comparison with the selective harmonic elimination technique	Algeria

88	03189	<i>Lalili D., Lourci N., Berkouk E. M., Boudjema F.</i> A simplified space-vector pulse width modulation algorithm for five-level inverter	Algeria
89	03243	<i>Halasz S., Varjasi I.</i> Analysis of three phase PWM strategies of three-level inverters	Hungary
90	19343	<i>Balestrino A., Landi A., Sani L.</i> Performance indices and controller design for switching converters	Italy
91	09348	<i>Damasceno D., Pieniz M., Pinheiro R.</i> A study of the trade-offs between dynamic response and harmonic distortion in a boost PFC converter	Brazil
92	02308	<i>Martins M. L., Russi J. L., Martins O. S., Grundling H. A., Pinheiro J. R., Hey H. L.</i> Critical evaluation of a hard-switched IGBT based three-phase PWM-VSI based on the output filter design	Brazil
93	15110	<i>Rajawat R.S., Kumar R., Gupta R.A.</i> Power quality analysis of PFC based high performance induction motor drive	India
94	15131	<i>Sayyah A., Aflaki M., Rezazade A.R.</i> GA - based optimization of total harmonic current distortion and suppression of chosen harmonics in induction motors	Iran
95	15161	<i>Khalidi B.S., Kouzou A., Grouni S., Boukhetala D.</i> An approach for rotor time-constant adaptation with FOC induction motors drives	Algeria
96	15007	<i>Zivic M.</i> Influence of the sine wave generator on positioning quality with induction drive- Practical implementation	Serbia & Montenegro
97	15374	<i>Oh W. S., Cho K. M., Kim S., Kim H. J.</i> Optimized neural network speed control of induction motor using genetic algorithm	Korea
98	15340	<i>Rechberger T., Ingruber R.</i> Influence of different types of supply cables on shaft currents in VSI-fed induction motors	Austria
99	12008	<i>Amin B.</i> Analytical model of variable reluctance machines	France
100	14018	<i>Zareh M.R., Marzband M., Nejad S.M.S.</i> Finding optimum parameters for vector control of salient pole synchronous motor using Fuzzy-genetic algorithm	Iran
101	28075	<i>Chomat M., Schreier L., Bendl J.</i> Analysis of variable-speed operation of drives with single-phase machines	Czech Republic
102	28084	<i>Moghani J.S., Heidari M.</i> High efficient low cost induction motor drive for residential applications	Iran
103	07099	<i>Sadeghi S., Milimonfared J., Meshginkelk H.</i> Dynamic performance of a switched reluctance motor for EV applications	Iran
104	16098	<i>Huang M.C., Moses A.J., Anayi F., Yao X.G.</i> Linear Kalman filter (LKF) sensorless control for permanent magnet synchronous motor based on orthogonal output linear model	U. K.
105	37318	<i>Pessina G., Morra E.</i> Reliability evaluation of a multi-motor drive system for daily newspaper printing plants	Italy
106	38197	<i>Hendijiani Zadeh M., Yazdian A., Mohamadian M.</i> Robust position control in DC motor by fuzzy sliding mode control	Iran
107	25265	<i>Jeftenic B., Bebic M.</i> Controlled multi-motor drives	Serbia & Montenegro
108	21226	<i>Ahmad M., Ki-Young S., Hyun-Woo L., Nakaoka M.</i> Finite element analysis based design and performance of single phase linear permanent magnet synchronous generator	Korea
109	21277	<i>Da Costa Neves C.G., Runcos F.</i> 3D electromagnetic simulation of a claw-pole generator	Brazil
110	21271	<i>Ghaempanah A., Mirsalim M., Mirzayee M.</i> Design and finite element simulation of reciprocating self excited linear induction generator	Iran
111	21350	<i>Kappatou J., Safacas A.N.</i> Finite element inductance calculations in 3-phase squirrel-cage induction machines with broken rotor bars	Greece
112	22223	<i>Turcanu A., Tudorache T., Fireteanu V.</i> Influence of squirrel-cage bar cross-section geometry on induction motor performances	Romania
113	22292	<i>Alexandru D., Enache M.A.</i> Aspects regarding optimal design of induction motors used in electrical traction	Romania
114	22227	<i>Ahmad M., Ki-Young S., Hyun-Woo L., Mutsuo N.</i> Radial permanent magnet linear alternator design with reduced output voltage harmonics	Korea
115	22009	<i>Shivkumar J., Rao Sr., Rao Sa., Vadivel M.</i> Design and simulation of a 5 kW single stage permanent magnet generator	India
116	22336	<i>Cavallaro C., Musumeci S., Raciti A., Santanocito C.</i>	Italy

		CAD analysis on electrical field of load break switch devoted to medium voltage applications	
117	23154	<i>Xusheng W., Junhong Z.</i> Research on mathematical models of double-winding AC-DC generator	China
118	23056	<i>Braslavsky I., Ishmatov Z., Plotnikov Y., Averbakh I.</i> Energy consumption and losses calculation approach for different classes of induction motor drives	Russia
119	23133	<i>Babaa F., Khezzar A., Boucherma M.</i> Comparative study between inter-turn short-circuits and unbalanced voltage supply in induction machines	Algeria
120	23247	<i>Khashimov A., Mirisaev A., Shamiyev M.</i> Automated energy saving AC motor electrical drives	Uzbekistan
121	23058	<i>Chao-Hui Z., Hai-Hong Q., Yang-Guang Y.</i> The structure optimization of IPM synchronous machine	China
122	23206	<i>Vyncke T.J., De Belie F.M.L.L., Geldhof K.R., Vandevelde L., Boel R.K., Melkebeek J.A.A.</i> A simulink state-space model of induction machines including magnetizing flux saturation	Belgium
123	30096	<i>Constantinescu C.G., Strimbu C.</i> A study about the ac switching regime of a single-phased transformer characterized by a non-linear magnetization curve with piecewise-linearised hysteresis cycle	Romania
124	30288	<i>Kashtiban A.M., Vakil-baghmisheh M.T., Vahedi A.</i> Reduction of winding leakage and electromagnetic forces in single phase shell type transformers using genetic algorithms	Iran
125	30313	<i>Elia S., Fabbri G., Nisticò E., Santini E.</i> Design of cast-resin distribution transformers by means genetic algorithms	Italy
126	30345	<i>Fiorucci E., Bucci G.</i> Effects of Voltage Amplitude Modulations on Mechanical Vibrations in Low Voltage Transformers	Italy
127	19204	<i>do Prado A., De Sousa A.H., Ferrari S.M., Bordignon T.J.</i> On-line identification of induction motors through discrete models for sinusoidal signals	Brazil
128	37269	<i>Seo J.M., Jung I.S., Sung H.G.</i> Thrust force analysis of spindle motor for HDDs	Korea
129	39358	<i>Vandenput A.J.A., Lomonova E.A., Makarovic J., Hol S.A.J., Lebedev A., Jansen J.W.</i> Novel types of the multi-degrees-of-freedom electromagnetic actuators	The Netherlands
130	23218	<i>Kishore A., Kumar G.S.</i> Dynamic modeling and analysis of three phase self-excited induction generator using generalized state space approach	India
131	26091	<i>Haznadar Z., Berberovic S., Stih Z., Jokic R.</i> Modeling of ship's shaft generator	Croatia
132	32248	<i>Kishore N.K., Prashant K. A., Chandan</i> Development of virtual impulse laboratory	India
133	32276	<i>Cardoso C., Ferreira J., Alves V., Araujo R.E.</i> The design and implementation of an electric go-kart for education in motor control	Portugal
134	32139	<i>Kilinc S., Karaca H., Kuntalp M.</i> A scenario example about transformers for problem-based electrical and electronics engineering curriculum	Turkey
135	32185	<i>Dobriceanu O. D., Nicola S.</i> Low cost literacy e-learning tool	Romania
136	00249	<i>Yano T.</i> Multi dimensional drive system and their applications	Japan
137	24066	<i>Wegiel T.</i> Electric carousel motor	Poland
138	24246	<i>Hosseini S.M., Mirsalim M., Mirzayee M.</i> Design and analysis of a novel disk permanent magnet generator	Iran
139	24290	<i>Kaufhold M., Nerowski G., Frauenhofer J.</i> High-temperature-superconducting machines: a high-technology step for large rotating electric machines	Germany
140	24165	<i>Ohsaki H., Ueda Y.</i> Numerical simulation of mover motion of a surface motor using Halbach permanent magnets	Japan
141	24238	<i>Slusarek B., Dlugiewicz L.</i> Powder magnetic materials - areas of application	Poland
142	24031	<i>Reagan G. T.</i> Motorator	India
143	24042	<i>Jindal A., Krishnamurthy M., Fahimi B.</i> Modeling and analyzing of a micro variable capacitance electromechanical energy converter	USA
144	08035	<i>Schellong W.</i> Integrated energy management in distributed systems	Germany

145	08023	<i>YaDong F., XiShan W., Xiaoping L., Wei D.</i> Design and use of a Static VAR generator for self-excited asynchronous generator	China
146	08085	<i>Chen W-L, Hsu Y-Y</i> Experimental evaluation of an isolated induction generator with voltage and frequency control	Taiwan
147	08104	<i>Bertling F., Soter S.</i> A novel converter integrable impedance measuring method for islanding detection in grids with widespread use of decentral generation	Germany
148	08349	<i>Carmeli M.S., Castelli Dezza F., Faranda R., Marchegiani G., Mauri M.</i> Universal digital controller for power quality and distributed generation systems	Italy
149	08368	<i>Zobaa A.F., Cecati C.</i> A comprehensive review on distributed power generation - Part 1	Italy - Egypt
150	08373	<i>Conti S., Greco A., Messina N., Raiti S.</i> Local voltage regulation in LV distribution networks with PV distributed generation	Italy
151	11274	<i>Guillaud X., Degobert P., Loriol D., Mogos E.</i> Real-time simulation of a micro-turbine integrated in a distribution network	France
152	09216	<i>Marinescu C., Serban I., Ion C., Clotea L.</i> Controlling a stand-alone power system	Romania
153	02086	<i>Mezaroba M., Scholtz J.S., do Santos Garcia Giacomini P.</i> A ZVS PWM step-up/step-down DC-DC converter with active clamping technique	Brazil
154	02125	<i>Cuong M. D., Guldner H.</i> High output voltage DC/DC converter based on parallel connection of piezoelectric transformers	Germany
155	02380	<i>Cavallaro C., Chimento F., Musumeci S., Raciti A., Scollo R., Buonomo S.</i> Low power converter applications with wide range input voltage using a monolithic cascade device	Italy
156	02170	<i>Abe S., Hirokawa M., Zaitzu T., Ninomiya T.</i> Design consideration of full regulated bus converter for system stability of on board distributed power system	Japan
157	02369	<i>Solero L., Taglioni P., Crescimbeni F.</i> Advantages in using power electronics building blocks in 42V electric systems	Italy
158	02263	<i>Sandali A., Cheriti A., Sicard P.</i> Design considerations for implementation of PDM AC/AC converter	Canada
159	02236	<i>Popovic J., Ferreira B., Gerber M., Konig A., De Doncker R.</i> Integration technologies for high power density power electronic converters for AC drives	The Netherlands - Germany
160	02111	<i>Postiglione G., Ladoux P.</i> A new concept of electrical power supply for AC arc furnaces	France
161	02108	<i>Nguyen-Quang N., Stone D.A., Bingham C.M.</i> Single phase matrix converter for radio frequency induction heating	U. K.
162	02364	<i>Cacciato M., Consoli A., De Caro S., Testa A.</i> Two innovative unipolar current converters for low power electrical motor drives	Italy
163	23021	<i>Grabner C.</i> Comparative study on the analytical and numerical calculation of higher harmonics in large salient-pole synchronous machines	Germany
164	23160	<i>Krovel O., Dahle J.</i> Loss distribution in a prototype 100kW permanent magnetized electrical motor embedded in a rim driven thruster	Norway
165	23214	<i>Vyncke T.J., De Belie F.M.L.L., Geldhof K.R., Vandevelde L., Boel R.K., Melkebeek J.A.A.</i> Modeling air gap flux harmonic components to describe motion-state estimators for PMSMs including magnetic saturation and multiple-pole spatial saliencies	Belgium
166	23220	<i>Galan N., Mammadov A.</i> The building system and the mathematical model of axial air-gap three-phased asynchronous motor	Romania
167	23314	<i>De Donato G., Terrigi R., Giulii Capponi F.</i> A synchronous axial flux PM machine d, q axes model which takes into account iron losses, saturation and temperature effects on the windings and the permanent magnets	Italy
168	23027	<i>Salvatore N., Gerada C., Cascella G.L., Sumner M.</i> Transient torque response improvement in presence of axial saturation due to skewing of rotor slots in induction motors	Italy-U. K.
169	23070	<i>Bocker J., Meyer M.</i> Transient peak currents in permanent magnet synchronous motors for symmetrical short circuits	Germany
170	23291	<i>Seebacher R.R., Dannerer G., Ofner G.</i> Analysis and modeling of the oscillations of the induced voltage in a dc-motor caused by slotting effects	Austria
171	11078	<i>Cancro C., Graditi G., Leanza G., Pascarella F., Sarno A.</i> The phocus plant: experimental analysis of solar tracker accuracy using a novel optoelectronic device	Italy
172	11090	<i>Chicco G., Giaccone L., Graditi G., Spertino F.</i> Experimental methods to evaluate the impact of a photovoltaic system at the point of common coupling low voltage networks	Italy
173	11298	<i>Grandi G., Landini M., Rossi C.</i> Modular photovoltaic generation systems based on a dual-panel MPPT algorithm	Italy

174	11321	<i>Prochazka Z., Gregor J., Jakubova I.</i> Optimized energy transfer from a photovoltaic system to electrical distribution network	Czech Republic
175	11254	<i>Bello M. M., Davidson E.</i> Load management control of a photovoltaic fuel cell generator	South Africa
176	11356	<i>Fiorucci E., Bucci G., Ciancetta F., Rotondale E.</i> Experimental validation of a PEM fuel cell dynamic model	Italy
177	11217	<i>Larbi N., Stambouli A., Traversa E.</i> An overview of hybrid solid oxide fuel cells (SOFCs) power systems	Italy
178	11030	<i>Graditi G., Favuzza S., Riva Sanseverino E.</i> Technical, environmental and economical aspects of hybrid system including renewables and fuel cells	Italy
179	33222	<i>Sulligoi G., Kavanagh C.</i> An innovative method for improved real-time measurements of angular acceleration in motion control systems	Italy
180	33242	<i>Dallefrate D., Colombo D., Molinari Tosatti L.</i> Development of robot controllers based on PC hardware and open source software	Italy
181	33255	<i>Rosario J.M., Dumur D.</i> A 3 dof robotic platform dynamics control using rapid prototyping tools	Brazil-France
182	33286	<i>Chettibi T., Lemoine P.</i> Generation of point to point trajectories for robotic manipulators under electromechanical constraints	Algeria
183	33382	<i>Kovacs E., Varadine A.</i> Laser sensor based measurement system with 2D motion control	Hungary
184	33174	<i>Chuang C. W., Li J.R.</i> Applying experienced self-tuning PID control to position control of slider crank mechanisms	Taiwan
185	33186	<i>Larabi A., Boucherit M.S.</i> Robust control of position with a strategy of linearization per return of state using fuzzy regulators	Algeria
186	27270	<i>Leuchter J., Bauer P., Hajek V.</i> Efficiency investigation of mobile power sources with VSCF technology	Czech Republic
187	27032	<i>Vásquez C., Lafoz M., García-Tabarés L., Toral F.</i> Canbus network based control system for switched reluctance drives in kinetic energy storage system	Spain
188	27064	<i>Rufer A.</i> Energetic performance of a hybrid energy storage system based on compressed air and super capacitors	Switzerland
189	27162	<i>Holub M., Palka R., Canders W.R.</i> Control of switched reluctance machines for flywheel energy storage applications	Poland-Germany
190	27306	<i>Giorgetti F., Pastena L., Tarantino A., Velotto F.</i> Energy saving by onboard storage	Italy
191	27381	<i>Yamauchi Y., Uchiyama N., Suzuki E., Kubota M., Fujii M., Ohsaki H.</i> Development of 50kWh-class superconducting flywheel system	Japan
192	27087	<i>Dias Marquezini D., Quadros Machado R., Farret F.A., Gonzatti F.</i> Interaction between PEM fuel cells and step-up dc dc converters for AC integration	Brazil
193	03331	<i>M. Carpaneto, G. Maragliano, M. Marchesoni, L. R. Vaccaro</i> A Novel approach for DC-link voltage ripple reduction in cascaded multilevel converters	Italy
194	03103	<i>Munduate A., Garin I., Figueres E., Garcerá G.</i> Analytical study of the DC link capacitors voltage ripple in three level Neutral Point Clamped Inverters	Spain
195	03332	<i>Leskovar S., Marchesoni M., Mazzucchelli M.</i> Development of open-loop and closed-loop techniques for the optimization of modular multilevel conversion structures	Italy
196	03123	<i>Camur S., Arifoglu B., Beser E., Beser E. K.</i> A novel topology for single-phase five-level inverter compared with H-bridge inverter	Turkey
197	03140	<i>Song Q., Zhang X., Yu F., Zhang C.</i> Research on PWM techniques of five-phase three-level inverter	China
198	03158	<i>Purkait P., Ravisrikanth S.</i> A simple SVPWM algorithm for elimination of neutral point current in multilevel inverter	India
199	03370	<i>Casadei D., Serra G., Tani A., Zarri L.</i> Cascaded three-level inverters: a comparison of different modulation strategies based on duty-cycle space vector approach	Italy
200	38205	<i>Arena P., Brunno F., Caponetto R.</i> A genetic algorithm optimized SDT for state feedback control	Italy
201	38219	<i>Moteleb M.S.A., Dorrah H.T.</i> An enhanced fuzzy-PI controller	Egypt
202	38151	<i>Malyna D.V., Duarte J.L., Hendrix M.A.M., van Horck F.B.M.</i> Multi-objective optimization of power converters using genetic algorithms	The Netherlands
203	38203	<i>Braslavsky I., Kostylev A. V., Stepanuk D.P.</i> Energy consumption optimization using genetic algorithm during starting of thyristor voltage converter-induction motor system	Russia
204	38083	<i>Yuan-sheng H., Yan Z., Jing T.</i>	China

		Bp neural network with optimizing principle component used in plants addressing	
205	38182	Monadi M., Gharaveisi A. A., Darabi A. Performance evaluation of an ANFIS based power system stabilizer applied in multi-machine power systems	Iran
206	14092	Du C., Zhang X., Gao X. Modeling, simulation and test of direct torque-controlled multi phase synchronous propulsion motor drives	China
207	14106	Kestelyn X., Crévits Y., Semail E. Investigation on Vector control of three-phase synchronous machines under fault supply condition	France
208	14143	Ye Z.-H., Zhang X.-F., Li H.-J., Yang F. Improvement on single "Y" current of the variable speed system with cycloconverter-fed 12-phase synchronous motor	China
209	14177	Leidhold R., Benavides R., Mutschler P. Comparison of control oriented models for the long stator synchronous motor and their experimental validation	Germany
210	14237	Bergh T., Alakula M., Karlsson P., Hagstedt D. Modeling and presentation of the Series Magnetized Synchronous Machine	Sweden
211	14159	Oleschuk V., Ermuratski V., Profumo F., Tenconi A., Bojoi R., Stankovic A.M. Novel schemes of synchronous PWM for dual inverter-fed drives with cancellation of the zero sequence currents	Moldova-Italy- USA
212	10179	Ordenez R., Sadarnac D. Three phase four branch active filter for non-active power compensation under non-sinusoidal conditions	France
213	10362	Dell'Aquila A., Monopoli V. G., Lecci A., Marinelli M. A study on different modulation techniques in presence of resonant controllers applied to active power filters	Italy
214	10043	Mingtao Y., Mingcai K., Jianye C. A double tuned filter based on controllable reactor	China
215	10148	Abaali H. New control algorithm for a series active power filters	Morocco
216	10233	Yilong Qu A new type principal-auxiliary arc-suppression coil system base on active power filter technology	China
217	10315	Menniti D., Picardi C., Pinnarelli A., Sorrentino N. A voltage reactive power and harmonics compensation applied on a DSTATCOM	Italy
218	34241	Delfine L., Bitetti D.M. A complete self commissioning procedure for induction motor drive control tuning	Italy
219	34101	Jokinen M. Bump-less transfer algorithm between two different velocity controllers in an electric drive	Finland
220	34253	Ottosson J. A compact field weakening controller implementation	Sweden
221	34044	Marano V., Arrigo D. Novel fully integrated 65 W stepper motor driver IC	Italy
222	34134	Nedeljkovic D., Nemeč M., Ambrozic V. Modulation in VSI for immediate flux control (IFC) with reduced flux error	Slovenia
223	34337	Deliang Liang, Zhuping Cheng, Feng Xiangyang, Wu Jianjun Control strategies research of switched reluctance starter/generator system	China
224	34335	Botan C., Ostafi F. Free and fixed end-point optimal control problems for a servo drive system	Romania
225	18183	Eltabach M., Charara A. Comparative investigation of electrical diagnostic procedures in induction motors	Libano
226	18268	Tiainen R., Sarkimaki V., Ahola J., Lindh T. Utilization possibilities of frequency converter in electric motor diagnostics	Finland
227	18366	Bruzzese C., Honorati O., Santini E. Laboratory prototype for induction motor bar breakages experimentation and bar current measuring	Italy
228	19053	Hilairet M., Auger F. Sensorless speed measurement using current harmonic spectral estimation in a DC-motor	France
229	20168	Dobriceanu M., Bitoleanu A., Popescu M., Vladut G. Automated monitoring system for environment quality in industrial areas	Romania
230	20201	Kang W., Yan X., Li H. The application of DSP and virtual instrument to online power quality detection	China
231	20037	Denić D., Randjelović I., Mijkić G. Recent trends of linear and angular pseudorandom encoder development	Serbia & Montenegro
232	20283	Lombardi P., Giaconia C., Di Dio V. An embedded diagnostic system for wheelchairs brushless drives monitoring	Italy
233	20180	Munk-Nielsen S., Bendicsen F. B., Christiansen H. Characterization of 50/60 Hz current transformers from 20 Hz to 10 kHz	Denmark

234	20202	<i>Kang W., Yan X., Li H.</i> A modified demodulation method for flicker measurement	China
235	09376	<i>Caramia P., Carpinelli G., Esposito T., Varilone P.</i> Probabilistic harmonic power flow for assessing waveform distortions in distribution systems with wind embedded generation	Italy
236	09325	<i>Montano J.C., Bravo J.C., Borrás D., Castilla M., Lopez A., Gutierrez J.</i> Voltage quality index	Spain
237	09377	<i>Di Perna C., Verde P., Varilone P.</i> Power converters for fuel-cells based UPS to improve power quality: modeling considerations and experimental results	Italy
238	09215	<i>Bitoleanu A., Popescu M., Dobriceanu M.</i> Power quality to the input of DC motor and controlled rectifier driving systems	Romania
239	09012	<i>Moreno-Muñoz A., Galisteo P.</i> Voltage sag in highly automated plants	Spain
240	09304	<i>Lauria D., Griffo A.</i> Advanced series and parallel converters for power system stability improvement	Italy
241	10001	<i>Benslimane T., Aliouane K., Chetate B.</i> Voltage and current disturbances elimination with reactive power compensation using unified power quality conditioner	Algeria
242	37144	<i>Aguirre-Zamalloa G., Uriondo Arrue F., Hernandez Gonzalez J.R.</i> The three-phase instantaneous reactive power defined anew	Spain
243	09305	<i>Lauria D., Griffo A.</i> Sliding sector control for thyristor controlled series compensator	Italy
244	08047	<i>Golkar M. A.</i> Distributed Generation and competition in electric distribution market	Iran
245	09005	<i>Bouchoucha C., Chebbi S., Annabi M.</i> Electric energy management by adaptive load shedding	Tunisie
246	37317	<i>Grasselli U., Terramano S., Ricci B.</i> Reliability evaluation of airport power systems	Italy
247	37166	<i>Ji Y., Wei X., Mu X., Tan A.</i> Analysis of the orthogonal arc-suppression coil and ground fault protection	China
248	37147	<i>Di Silvestre M.L., Massaro F., Mineo L., Zizzo G.</i> A statistic approach of cables ageing in MV lines on thermal and electrical combined stress	Italy
249	37347	<i>Benhaddadi M., Olivier G.</i> Canada's Kyoto GHG emissions gap analysis	Canada
250	37137	<i>Chiodo E., Mazzanti G.</i> A new reliability model for power system components characterized by dynamic stress and strength	Italy
251	27088	<i>Dias Marquezini D., Quadros Machado R., Farret F.A., Gonzatti F.</i> AC and DC interfaces for connection of fuel-cell stacks to the utility grid	Brazil
252	37107	<i>Mazzanti G., Passarelli G.</i> A probabilistic life model for reliability analysis of power cables feeding electric traction systems	Italy
253	34351	<i>Battistelli L., Lauria D., Morvillo C., Proto D.</i> A comparison among various optimization control strategies for dc electrified transportation systems	Italy
254	37239	<i>Szentirmai L., Szarka T.</i> Electrical engineering and drives in the globalization age and their contribution to sustainable development and knowledge-based society	Hungary
255	39333	<i>Kyu-Min Cho, Won-Seok Oh, Jae-Eul Yeon, Hee-Jun Kim</i> A novel average burst-duty control method for the dimming of induction lamps	Korea
256	39365	<i>Arabia E., Consoli A., Ciofi C., Testa A.</i> Electromechanical actuators for automotive applications exploiting power line communication	Italy
257	39352	<i>Chiodo E., Mazzanti G.</i> Indirect reliability estimation for electric devices via a dynamic "stress – strength" model	Italy
258	34167	<i>Dopatka F., Wismueller R.</i> A top-down approach for real time industrial-ethernet networks using edge-coloring of conflict-multigraphs	Germany
259	37208	<i>Pedrasa A., Delfin V.</i> Low-cost mechanical load emulator	Philippines
260	04138	<i>Zhang L., Yan X., Li H.</i> Design and simulation of bilateral LC filter based on the locomotive battery charge-discharge system	China
261	39334	<i>Kyu-Min Cho, Won-Seok Oh, Jae-Eul Yeon, Hee-Jun Kim</i> Wired and wireless remote control of the group lighting system using electrodeless fluorescent lamps	Korea
262	06038	<i>Bolvashenkov I., Herzog H-G., Engstle A.</i> Factor of hybridization of an hybrid electrical vehicle and its influence on technical and economical parameters of the automobile	Germany
263	06016	<i>Alaoui C.</i> A novel system-on-chip system for diagnostic and rejuvenation for electric and hybrid vehicles	Morocco

264	25014	<i>Budig P.K.</i> Simplification of the mechanical design of drives with the application of direct drives	Germany
265	26169	<i>Arcidiacono V., Menis R., Sulligoi G.</i> Voltage and frequency integrated control for all electric ship power systems	Italy
266	15022	<i>Grabner C.</i> Various control strategies of power converters and their effects on induction drive systems	Germany
267	15109	<i>Huikuri M.</i> Simulation of direct torque controlled drive with torque reference filtering	Finland
268	15175	<i>Rees S., Ammann U.</i> Field oriented control of current source inverters fed high speed induction machines using steady-state stator voltages	Germany
269	15302	<i>Abbasian T., Salmasi F.R., Yazdanpanah M.J.</i> Improved adaptive feedback linearization control of induction motors based on online estimation of core loss and rotor resistance	Iran
270	15384	<i>D'Arco S., Iannuzzi D., Pagano E., Piegari L.</i> Torsional Stress Analysis of Squirrel Cage Windings of Asynchronous Motors	Italy
271	15036	<i>Klima J.</i> Analytical investigation of induction motor drive under ripple component of DC-Link voltage of VSI	Czech Republic
272	15231	<i>Miloudi A., Draou A.</i> A new control strategy of direct torque fuzzy control of a PWM inverter fed induction motor drive	Algeria-Saudi Arabia
273	15363	<i>Cacciato M., Consoli A., Scarcella G., Scelba G.</i> Efficiency optimization techniques via constant optimal slip control of induction motor drives	Italy
274	15240	<i>Grune R., Saniter C., Wood A.R., Hanitsch R.</i> Reduction of stator current harmonics in doubly-fed induction machines	Germany
275	22156	<i>Hanitsch R., Widyan M.</i> Cogging torque reduction of a novel low-speed high-energy permanent-magnet electrical machine	Germany
276	22164	<i>Aho T., Nerg J., Pyrhönen J.</i> Analyzing the effect of the rotor coating on the rotor losses of medium-speed solid-rotor induction motor	Finland
277	22279	<i>Centner M., Hanitsch R.</i> Fractional slot-winding with asymmetrical stator slot-layout for reduced harmonics and cogging torque in subfractional horse-power permanent-magnet machines	Germany
278	22312	<i>Boccaletti C., Elia S., Nisticò E.</i> A comparison between deterministic and stochastic optimisation algorithms in design of axial flux PM machines	Italy
279	22145	<i>Werner U., Binder A.</i> Rotor dynamic analysis of asynchronous machines including the finite-element method for engineering low vibration motors	Germany
280	22322	<i>Hörz M., Herzog H.G., Haas A.</i> Axial flux machine with single tooth fractional slot winding - Comparison of different winding design approaches	Germany
281	22013	<i>Budig P.K.</i> The influence of the third deviation of way above time on the design of Electrical Machines	Germany
282	22135	<i>Cui X., Binder A., Funieru B.</i> Calculation of no-load additional losses in the rotor of a StrafloMatrix synchronous turbine-generator	Germany
283	22383	<i>Cecconi V., Trapanese M.</i> An optimum design of the magnetic circuit of a PM linear electrical generator for the exploitation of sea waves.	Italy
284	07130	<i>O'Sullivan T.M., Bingham C.M., Clark R.E.</i> Zebra battery technologies for all electric smart car	U. K.
285	07213	<i>Eberleh B., Hartkopf T.</i> A high speed induction machine with two-speed transmission as drive for electric vehicles	Germany
286	07199	<i>Kai X., Qionghua Z., Huafeng Y.</i> A low cost sensorless switched reluctance motor driver for light electric vehicles	China
287	13320	<i>Cvetkovski G., Petkovska L., Gair S.</i> Torque analysis of axial field PM synchronous motor for EV	U.K.-Macedonia
288	07051	<i>Georgescu M.</i> Intelligent systems for electric vehicles	Romania
289	01065	<i>Enea V., Kroell D., Messina M., Ronsisvalle C.</i> Different designs for the optimization of monolithic ESBT® (Emitter-Switched Bipolar Transistor)	Italy
290	01076	<i>Brucchi F.</i> Converter-inverter module for low-power applications	Italy
291	01149	<i>Vershinin K.V., Sweet M.R., Ngwendson L.K., Ekkanath Madathil S.N.</i> Influence of the device layout on the performance of 20A 1.2kV clustered insulated gate bipolar transistor (CIGBT) in PT technology	U. K.
292	01252	<i>Napoli E., Udrea F.</i>	Italy

		Circuitual implementation of deep depletion SOI power devices	
293	01300	<i>Dolezel I., Dvorak P., Kalcik K., Valouch V.</i> Limit operation regimes of power semiconductor devices	Czech Republic
294	29089	<i>Buja G., Menis R.</i> A conceptual framework for the dependability issue	Italy
295	29324	<i>Bolognesi P., Bruno O., Sani L., Taponecco L.</i> An unconventional fault-tolerant switched-reluctance motor for high-torque low-speed applications	Italy
296	29093	<i>Leonhard W.</i> Dependable energy supply from fluctuating natural sources-a case for energy storage	Germany
297	29112	<i>Schramm A., Gerling D.</i> Researches on the suitability of switched reluctance machines and permanent magnet machines for specific aerospace applications demanding fault tolerance	Germany
298	29155	<i>Tahami F., Shojaei A., Khatir D.A.</i> A diversity based reconfigurable method for fault tolerant control of induction motors	Iran
299	29152	<i>Drif M., Marques Cardoso A.J.</i> Airgap eccentricity fault diagnosis, in three-phase induction motors, by the complex apparent power signature analysis	Portugal
300	29353	<i>Drozdowski P.</i> A scalar controlled VSI fed robust drive with a polyphase cage induction motor	Poland
301	20297	<i>Sakimaki V., Tainen R., Lindh T., Ahola J.</i> Applicability of zigbee technology to electric motor rotor measurements	Finland
302	20367	<i>Bruzzese C., Honorati O., Santini E.</i> Spectral analyses of directly measured stator and rotor currents for induction motor bar breakages characterization by M.C.S.A.	Italy
303	20354	<i>Gabano J. D., Champenois G.</i> Synchronous generator parameters measurement from load impacts and shedding experiments	France
304	20195	<i>Kosonen A., Jokinen M., Sarkimaki V., Ahola J., Niemela M.</i> Motor feedback speed control by utilizing the motor feeder cable as a communication channel	Finland
305	20019	<i>Feng Z., Acarnley P.</i> Interpolation technique for encoder resolution improvement in permanent magnet synchronous motor drives	U. K.
306	20073	<i>Ahola J., Kosonen A., Toukonen J., Lindh T.</i> A new approach to data transmission between an electric motor and an inverter	Finland
307	20210	<i>Khan M.A.S.K., Radwan T.S., Rahman M.A.,</i> Discrete wavelet based detection and classification of disturbances in three-phase induction motor	Canada
308	17126	<i>Nasr Khoijja M. A., Ben Salah B., Brochet P.</i> Fuzzy logic control for a single sided linear induction motor	Tunisie-France
309	17225	<i>Ahmad M., Ki-Young S.,Hyun-Woo L., Nakaoka M.</i> A new starting technique of linear engine coupled three-phase linear generator using position feedback control-based PWM inverter	Korea
310	17264	<i>Reinschke J.</i> Stroke control of a reciprocating linear motor connected to a slowly VARYING mechanical load	Germany
311	17280	<i>Gehrking R., Demming S., Feldmann M., Ponick M., Buttgenbach S.</i> Specific design rules for micro linear motors	Germany
312	17293	<i>Bacher J.</i> Innovative designs of high dynamic linear asynchronous motors	Austria
313	17250	<i>Honda Y., Torii S., Ebihara D., Hasegawa Y., Hirata K.</i> Development of cylindrical two-dimensional linear oscillatory actuator	Japan
314	17338	<i>Deliang Liang, Sun Shumin, Xie Zengrong</i> Analysis on control system of linear permanent magnet brushless DC motor based on single neuron PID	China
315	21055	<i>Lin T-K., Meydan T.</i> Parameters design with magnetic forces by 3DFEM for high positioning motor	U. K.
316	21057	<i>Parasiliti F., Villani M.</i> Dynamic analysis of synchronous reluctance motors by simulink and finite element model	Italy
317	21074	<i>Neumayer F., Schlemmer E., Ramsauer F.</i> Finite element analysis of the starting behaviour of large salient pole machines	Austria
318	21128	<i>Valtonen M., Pyrhönen J., Parviainen A.</i> Electromagnetic field analysis of 3D structure of axial-flux solid-rotor induction motor	Finland
319	21303	<i>Troster E., Sperling M., Hartkopf Th.</i> Finite element analysis of a permanent magnet induction machine	Germany
320	21049	<i>Puranen J., Pyrhönen J.</i> Optimization of induction servomotor loadability with coupled electromagnetic-thermal model	Finland
321	21117	<i>Koo D-H., Chun Y-D., Cho Y-H</i> Analysis of overhang effect in a novel axial flux PM motor	Korea

322	12122	Baoming G. Design of transverse flux linear switched reluctance motor	China
323	12124	Mendrela E. A., Xinglong L. Jumping switched reluctance motor operating as a hoist	USA
324	12172	Chai J. Y., Liaw C. M. Power factor and vibration assessments for switched-reluctance motor fed by switch-mode rectifier	Taiwan
325	12193	Bhiwapurkar N., Mohan N. Torque ripple optimization in switched reluctance motor using two-phase model and optimization search technique	USA
326	12261	Zhan Q., Sun J., Wang S., Ma Z. Parameter-optimized three-step commutation method for the reduction of vibration and acoustic noise in switched reluctance motor	China
327	10129	Chang H.J., Liaw C.M. Development of a front-end converter for switched-reluctance motor drive	Taiwan
328	12295	Hudak P., Hrabovcova V., Rafajdus P. Geometrical dimension influence of multi-barrier rotor on reluctance synchronous motor performances	Slovak Republic
329	25015	Budig P.K. Direct linear drives for the application in high- vacuum	Germany
330	25116	Oswald A., Herzog H.G., Merwert J., Hörz M. A simple method for developing and testing a drive intended to be used in vacuum	Germany
331	25063	Goncalves A.C.V., Ardisson E.V., Dias E.V., Campos J.F., Zanandrea P.H.F. Non-conventional application of AC drives - Use of AC drives in emergency systems. Case study: tilting system of torpedo car in CST BOF Shop	Brazil
332	25173	Moehle A. Optimization of converter-fed super-large drives with parallel winding systems	Germany
333	25188	Wallace R. R., Tapia J. A., Diaz L.A. Design of a 75 kW - 167 rpm axial-flux permanent magnet synchronous motor for copper mining applications	Chile
334	25192	Dlugiewicz L., Kolowrotkiewicz J., Neumann R., Szelag W. Electrical motor for liquid gas pump	Poland
335	26310	Castellan S., Quaia S., Scialla P., Sulligoi G. All electric Mega Yachts: Integrated power system operation and its interaction with propulsion converters	Italy
336	06046	Čeřovský Z. Physical modeling of electric hybrid vehicle	Czech Republic
337	06054	Mauldin R., Hurt R., Baghzouz Y., Boehm R.F. Light-weight fuel cell-battery hybrid vehicle demonstration project	USA
338	06200	Kudarauskas S., Didziokas R. Assembly of oscillating generator and free-piston engine for hybrid electric vehicle	Lithuania
339	06224	Andriollo M., Martinelli G., Morini A., Stellin S., Tortella A. Rating of the power components in series-hybrid buses with different supply control strategies	Italy
340	06071	Hannoun H., Diallo D., Marchand C. Energy management strategy for a parallel hybrid electric vehicle using fuzzy logic	France
341	06386	Argondizza A., Naretto R., Dufour C., Abouridad S., Belanger J. Real-time simulation of fuel cell hybrid electric vehicles	Italy
342	02039	Li H., Li Z., Halang W.A., Cheni G. Analyzing chaotic spectra of DC-DC converters using Prony method	Germany
343	02017	Moreno-Muñoz A. Analysis of voltage dips in PWM AC-DC converters	Spain
344	02339	Buti B., Nagy I., Masada E. Stability analysis of PWM-controlled dual channel resonant buck converter using PI controller	Hungary/ Japan
345	02146	De Simone S., Adragna C., Spini C., Gattavari G. Design-oriented steady-state analysis of LLC resonant converters based on first-harmonic approximation	Italy
346	02059	Nasiri A. Modeling and analysis of series-parallel uninterruptible power supply using generalized state space averaging method	USA
347	02278	Zambra D. A. B., Rech C.R., Pinheiro J.R. Impact of hybrid multilevel modulation strategy on semiconductors power losses	Brazil
348	36196	Serrao V., Conti L., Di Napoli A., Solero L. Emission testing for the EMC performance evaluation of an electric wheelchair	Italy
349	36142	Cecconi V., Matranga A., Ragusa A. EMI analysis in electrical drives when the grounding system is excited by a lightning strike using a suitable circuit model	Italy
350	36284	Zhao D., Ferreira J.A., Polinder H., Laferink F.B.J. Investigation of EMI noise transfer characteristic of adjustable speed drive system	The Netherlands
351	36316	Khoudiri S., Abidi Z., Djennah M.	Algeria

		Three dimensional modeling of an enclosure illuminated by electromagnetic source	
352	36360	<i>Goo-Hwan Shin, Jin-Kyu Kim, Cheol-Woo Lim, Kyung-Hwa Park, Kyung-In Kang and Jong-Tae Lim</i> On ground schemes for STSAT-2 to reduce electrical interference based on the isolation between units	Korea
353	07178	<i>Ottosson J., Alakula M.</i> Implementation of field weakening control	Sweden
354	38184	<i>Dahidah M. S. A., Agelidis V. G.</i> A hybrid genetic algorithm for switching angels and DC voltage sources optimization for selective harmonic elimination multilevel inverter control	Malaysia
355	13010	<i>Iyer N., Zhu J.</i> Modelling and simulation of a six step discontinuous conduction mode hysteresis current controlled inverter fed PMSM drive	Australia
356	13029	<i>Niasar A.H., Moghbelli H., Vahedi A.</i> Commutation torque ripple of four-switch brushless DC motor drives part II: controllability and minimization	Iran